

## 論文(英語)

1. Shigeo Yoshida MD, PhD, Ryoichi Arita MD, Ayako Yoshida, PhD, Hanayo Tada MD, Aki Emori MD, Yoshihiro Noda MD, Shintaro Nakao MD, PhD, Kimihiko Fujisawa MD, PhD and Tatsuro Ishibashi MD, PhD: Novel mutation in *FZD4* gene in a Japanese pedigree with familial exudative vitreoretinopathy. American journal of ophthalmology volume 138,issue 4, October 2004, Pages 670-671
2. Mochizuki Y, Enaida H, Hisatomi T, Hata Y, Miura M, Arita R, Kawahara S, Kita T, Ueno A, Ishibashi T: The internal limiting membrane peeling with brilliant blue G staining for retinal detachment due to macular hole in high myopia. Br J Ophthalmol. 2008 Jul;92(7):1009.
3. Shuhei Kawahara, Yasuaki Hata, PhD, Takeshi Kita, PhD, Ryoichi Arita, Muneki Miura, PhD, Shintaro Nakao, PhD, Yasutaka Mochizuki, PhD, Hiroshi Enaida, PhD, Tadahisa Kagimoto, Yoshinobu Goto, PhD, Ali Hafezi-Moghadam PhD, Tatsuro Ishibashi PhD :Potent Inhibition of Cicatricial Contraction in Proliferative Vitreoretinal Diseases by Statins. Diabetes. 2008 Oct;57(10):2784-93.
4. Hata Y, Sassa Y, Kita T, Miura M, Kano K, Kawahara S, Arita R, Nakao S, Shih JL, Ishibashi T: Vascular endothelial growth factor expression by hyalocytes and its regulation by glucocorticoid. Br J Ophthalmol. 2008 Nov;92(11):1540-4.

5. Takeshi Kita, Yasuaki Hata, Ryoichi Arita, Shuhei Kawahara, Muneki Miura, Shintaro Nakao, Yasutaka Mochizuki, Hiroshi Enaida, Yoshinobu Goto, Hiroaki Shimokawa. Ali Hafezi-Moghadam, Tatsuro Ishibashi: Role of TGF-  $\beta$  and ROCK in Mediating Proliferative Vitreoretinal Diseases: Potential Novel Therapeutic Targets. Proc Natl Acad Sci U S A. 2008 Nov 11;105(45):17504-9.
6. Ryoichi Arita, Yasuaki Hata, Shintaro Nakao, Takeshi Kita, Muneki Miura, Shuhei Kawahara, Souska Zandi, Lama Almulki, Faryan Tayyari, Hiroaki Shimokawa, Ali Hafezi-Moghadam, Tatsuro Ishibashi: ROCK Inhibition by Fasudil Ameliorates Diabetes-Induced Microvascular Damage. Diabetes. 2009 Jan;58(1):215-26.
7. Arikawa A, Yoshida S, Yoshikawa H, Ishikawa K, Yamaji Y, Arita R, Ueno A, Ishibashi T: Case of novel PITX2 gene mutation associated with Peters' anomaly and persistent hyperplastic primary vitreous.:Eye. 2009
8. Kohno RI, Hata Y, Kawahara S, Kita T, Arita R, Mochizuki Y, Aiello LP, Ishibashi T: Possible contribution of hyalocytes to idiopathic epiretinal membrane formation and its contraction. Br J Ophthalmol. 2009 Aug;93(8):1020-6.
9. Mochizuki Y, Hata Y, Kita T, Kohno R, Hasegawa Y, Kawahara S, Arita R, Ishibashi T: Anatomical findings of vitreoretinal interface in eyes with asteroid hyalosis. Graefes Arch Clin Exp Ophthalmol. 2009 Sep;247(9):1173-7.

10. Hasegawa Y, Hata Y, Mochizuki Y, Arita R, Kawahara S, Kita T, Noda Y, Ishibashi T: Equivalent tamponade by room air as compared with SF(6) after macular hole surgery. *Graefes Arch Clin Exp Ophthalmol*. 2009
  
11. Hata Y, Miura M, Asato R, Kita T, Oba K, Kawahara S, Arita R, Kohno R, Nakao S, Ishibashi T: Antiangiogenic mechanisms of simvastatin in retinal endothelial cells. *Graefes Arch Clin Exp Ophthalmol*.
  
12. Ryoichi Arita, Yasuaki Hata, Tatsuro Ishibashi: ROCK as a Therapeutic Target of Diabetic Retinopathy. *J Ophthalmol* 2010. Jun 21:1-9.
  
13. Hisatomi T, Ikeda Y, Aiello LP, Ishibashi T: Histopathology of neovascular tissue from eyes with proliferative diabetic retinopathy after intravitreal bevacizumab injection. *Am J Ophthalmol*. 2010 Aug;150(2):223-229
  
14. Asato R, Kita T, Kawahara S, Arita R, Mochiduki Y, Aiello LP, Ishibashi T : Vitreous levels of soluble vascular endothelial growth factor receptor (VEGFR)-1 in eyes with vitreoretinal diseases. *Br J Ophthalmol*. 2011 Dec 95(12):1745-8.

15. Nakao S, Zandi S, Hata Y, Kawahara S, Arita R, Schering A, Sun D, Melhorn MI, Ito Y, Lara-Castillo N, Ishibashi T, Hafezi-Moghadam A.: Blood vessel endothelial VEGFR-2 delays lymphangiogenesis: an endogenous trapping mechanism links lymph- and angiogenesis. *Blood*
  
16. Arita R, Nakao S, Kita T, Kawahara S, Asato R, Yoshida S, Enaida H, Hafezi-Moghadam A, Ishibashi T: A Key Role for ROCK in TNF- $\alpha$ -Mediated Diabetic Microvascular Damage. *Invest. Ophthalmol. Vis. Sci.* 2013 Mar 54:2373-2383.
  
17. Nakao S, Arita R, Nakama T, Yoshikawa H, Yoshida S, Enaida H, Hafezi-Moghadam A, Matsui T, Ishibashi T: Wide Field Laser Ophthalmoscopy for Mice: A Novel Evaluation System for Retinal/Choroidal Angiogenesis in Mouse. *Invest Ophthalmol Vis Sci.* 2013 Aug 54:5288-93
  
18. Ishikawa K, Yoshida S, Nakao S, Nakama T, Kita T, Asato R, Sassa Y, Arita R, Miyazaki M, Enaida H, Oshima Y, Murakami N, Niiro H, Ono J, Matsuda A, Goto Y, Akashi K, Izuhara K, Kudo A, Kono T, Hafezi-Moghadam A, Ishibashi T; Periostin promotes the generation of fibrous membranes in proliferative vitreoretinopathy. *FASEB J.* 2014 Jan 28:131-42

19. Nakatake S, Yoshida S, Nakao S, Arita R, Yasuda M, Kita T, Enaida H, Ohshima Y, Ishibashi T. Hyphema is a risk factor for failure of trabeculectomy in neovascular glaucoma: a retrospective analysis. *BMC Ophthalmol.* 2014 Apr26
  
20. Kobayashi Y, Yoshida S, Nakama T, Zhou Y, Ishikawa K, Arita R, Nakao S, Miyazaki M, Sassa Y, Oshima Y, Izuhara K, Kono T, Ishibashi T. Overexpression of CD163 in vitreous and fibrovascular membranes of patients with proliferative diabetic retinopathy: possible involvement of periostin. *Br J Ophthalmol* 2015 Apr99 451-456
  
21. Yoshida S, Kobayashi Y, Nakama T, Zhou Y, Ishikawa K, Arita R, Nakao S, Miyazaki M, Sassa Y, Oshima Y, Izuhara K, Kono T, Ishibashi T. Increased expression of M-CSF and IL-13 in vitreous of patients with proliferative diabetic retinopathy: implications for M2 macrophage-involving fibrovascular membrane formation. *Br J Ophthalmol* 2015 May99 629-634

22. Yoshida S, Kubo Y, Kobayashi Y, Zhou Y, Nakama T, Yamaguchi M, Tachibana T, Ishikawa K, Arita R, Nakao S, Sassa Y, Oshima Y, Kono T, Ishibashi T. Increased vitreous concentrations of MCP-1 and IL-6 after vitrectomy in patients with proliferative diabetic retinopathy: possible association with postoperative macular oedema. *Br J Ophthalmol* 2015 July;99:960-966
23. Zandi S, Nakao S, Chun KH, Fiorina P, Sun D, Arita R, Zhao M, Kim E, Schueller O, Campbell S, Taher M, Melhorn MI, Schering A, Gatti F, Tezza S, Xie F, Vergani A, Yoshida S, Ishikawa K, Yamaguchi M, Sasaki F, Schmidt-Ullrich R, Hata Y, Enaida H, Yuzawa M, Yokomizo T, Kim YB, Sweetnam P, Ishibashi T, Hafezi-Moghadam A. ROCK-isoform-specific polarization of macrophages associated with age-related macular degeneration. *Cell Rep*. 2015 Feb 24;11:73-86.
24. Takeda A, Yoshikawa H, Fukuhara T, Hikita S, Hijioka K, Otomo T, Arita R, Hisatomi T, Kimura K, Yoshida S, Kawano Y, Sonoda KH, Ishibashi T. Distinct Profiles of Soluble Cytokine Receptors Between B-Cell Vitreoretinal Lymphoma and Uveitis. *Invest Ophthalmol Vis Sci*. 2015 Nov;56(12):7516-23.

25. Taki R, Takeda A, Yoshikawa H, Fukuhara T, Arita R, Suehiro Y, Choi I, Kumano Y, Nakamura T, Ishibashi T. Clinical Features of Systemic Metastatic Retinal Lymphoma in Japanese Patients. *Ocul Immunol Inflamm*. 2017 Oct;25(5):654-662.
26. Yamaguchi M, Nakao S, Arita R, Kaizu Y, Arima M, Zhou Y, Kita T, Yoshida S, Kimura K, Isobe T, Kaneko Y, Sonoda KH, Ishibashi T. Vascular Normalization by ROCK Inhibitor: Therapeutic Potential of Ripasudil (K-115) Eye Drop in Retinal Angiogenesis and Hypoxia. *Invest Ophthalmol Vis Sci*. 2016 Apr 1;57(4):2264-76.
27. Nakao S, Arita R, Sato Y, Enaida H, Ueno A, Matsui T, Salehi-Had H, Ishibashi T, Sonoda KH. Wide-field laser ophthalmoscopy for imaging of gas-filled eyes after macular hole surgery. *Clin Ophthalmol*. 2016 Aug 24;10:1623-30.